

Pediatric Symptom Checklist Research Bibliography

References by Author

Acra PE, Perez MT. The evaluation of adolescent chest pain: a screening ECG or PSC-17? Review. *Current opinion in pediatrics*. Aug 2017;29(4):414-419. doi:10.1097/MOP.0000000000000503

Afzal E, Khan WI, Iqbal MK, Aftab K, Ahmad T. Prevalence of psychosocial problems in children with and without epilepsy: A comparative cross-section study. *The Professional Medical Journal*. 2021;28(04):557-563. doi:<https://doi.org/10.29309/TPMJ/2021.28.04.5800>

Ahmad A, Khalique N, Khan Z. Behavioral and emotional problems of adolescents: Relationship with academic achievement. *Indian Journal of Community Health*. 2007;18(2):3-8.

Al-Kloub MI, Salameh TN, Froelicher ES. Impact of psychosocial status and disease knowledge on deferoxamine adherence among thalassaemia major adolescents. *International Journal of Nursing Practice*. 2014;20:265-274.

Al-Kloub MI, Abed MA, Al Khawaldeh OA, Al Tawarah YM, Froelicher ES. Predictors of non-adherence to follow-up visits and deferasirox chelation therapy among Jordanian adolescents with Thalassemia Major. *Pediatric Hematology and Oncology*. 2014;31(7):624-637.

Andreas JB, O'Farrell TJ. Alcoholics Anonymous attendance following 12-step treatment participation as a link between alcohol-dependent fathers' treatment involvement and their children's externalizing problems. *J Subst Abuse Treat*. Jan 2009;36(1):87-100. doi:10.1016/j.jsat.2008.05.006

Andreas JB, O'Farrell TJ. Psychosocial problems in children of women entering substance use disorder treatment: A longitudinal study. *Research Support, U.S. Gov't, Non-P.H.S.*

Anyanwu OU, Ibekwe RC, Ojinnaka NC. Psychosocial dysfunction among adolescents who abuse substances in secondary schools in Abakaliki, Nigeria. *Niger J Clin Pract*. 06 2017;20(6):665-669. doi:10.4103/1119-3077.208953

Applegren KE, Spratt E. Crecemos juntos: understanding and alleviating parental stress among lowcountry migrant workers. *Community Ment Health J*. Feb 2012;48(1):79-83. doi:10.1007/s10597-011-9372-2

Applegate H, Kelley ML, Applegate BW, Jayasinghe IK, Venters CL. Clinical case study: pediatric residents' discussions of and interventions for children's behavioral and emotional problems. *J Pediatr Psychol*. Jul-Aug 2003;28(5):315-21. doi:10.1093/jpepsy/jsg021

Aranda MC, Middleton LS, Flake E, Davis BE. Psychosocial screening in children with wartime-deployed parents. *Mil Med*. Apr 2011;176(4):402-7. doi:10.7205/milmed-d-10-00202

Arauz-Boudreau A, Riobueno-Naylor A, Haile H, et al. How an Electronic Medical Record System Facilitates and Demonstrates Effective Psychosocial Screening in Pediatric Primary Care. *Clin Pediatr (Phila)*. 02 2020;59(2):154-162. doi:10.1177/0009922819892038

Ardıç E, Ünsal G, Bayram S. Validity and reliability of the Pictorial Pediatric Symptom Checklist. *Journal of Psychiatric Nursing*. 2020;11(1):20-27.

Aupont O, Doerfler L, Connor DF, Stille C, Tisminetzky M, McLaughlin TJ. A collaborative care model to improve access to pediatric mental health services. *Adm Policy Ment Health*. Jul 2013;40(4):264-73. doi:10.1007/s10488-012-0413-0

Bala G, Golubovic S, Milutinovic D, Katic R. Psychometric properties of the Pediatric Symptom Checklist in preschool children in Serbia. *Med Glas (Zenica)*. Aug 2012;9(2):356-62.

Basch MC, Stromberg SE, Krietsch K, et al. Adolescent-Reported Sleep/Wake Patterns in the Relationships Between Inhibitory Control and Internalizing and Externalizing Problems. *J Dev Behav Pediatr*. 12 2019;40(9):679-685. doi:10.1097/dbp.0000000000000707

Bate J, Pham PT, Borelli JL. Be My Safe Haven: Parent-Child Relationships and Emotional Health During COVID-19. Article. *Journal of Pediatric Psychology*. Jul 2021;46(6):624-634. doi:10.1093/jpepsy/jsab046

Baugh EJ, Ballard SM, Carter L, Tyndall L, Nolan M, Littlewood K. The County-Wide Dissemination of Triple P Parenting Program: An Implementation Study. *Prog Community Health Partnersh*. 2019;13(1):73-81. doi:10.1353/cpr.2019.0010

Becker-Haines EM, Tabachnick AR, Last BS, Stewart RE, Hasan-Granier A, Beidas RS. Evidence Base Update for Brief, Free, and Accessible Youth Mental Health Measures. Research Support, N.I.H., Extramural

Berger-Jenkins E, McCord M, Gallagher T, Olfson M. Effect of routine mental health screening in a low-resource pediatric primary care population. *Clin Pediatr (Phila)*. Apr 2012;51(4):359-65. doi:10.1177/0009922811427582

Berger-Jenkins E, Monk C, D'Onfro K, et al. Screening for Both Child Behavior and Social Determinants of Health in Pediatric Primary Care. Research Support, Non-U.S. Gov't. *J Dev Behav Pediatr*. Jul/Aug 2019;40(6):415-424. doi:10.1097/DBP.0000000000000676

Bergmann P, Lucke C, Nguyen T, Jellinek M, Murphy JM. Identification and utility of a short form of the Pediatric Symptom Checklist-Youth self-report (PSC-17-Y). *European Journal of Psychological Assessment*. 2020;36(1):56-64. doi:10.1027/1015-5759/a000486



Berlin KS, Kamody RC, Banks GG, Silverman AH, Davies WH. Empirically Derived Parental Feeding Styles for Young Children and Their Relations to Weight, Mealtime Behaviors, and Childhood Behavior Problems. *Children's Health Care*. 2015;44(2):136-154.

Bernal P, Estroff DB, Aboudarham JF, Murphy M, Keller A, Jellinek MS. Psychosocial morbidity: the economic burden in a pediatric health maintenance organization sample. *Arch Pediatr Adolesc Med*. Mar 2000;154(3):261-6. doi:10.1001/archpedi.154.3.261

Bhosale S, Singru SA, Khismatrao D. Study of Psychosocial problems among adolescent students in Pune, India. *Al Ameen J Med Sci*. 2015;8(2):150-155.

Bishop SJ, Murphy JM, Jellinek MS, Dusseault K. Psychosocial screening in pediatric practice: a survey of interested physicians. *Clin Pediatr (Phila)*. Mar 1991;30(3):142-7. doi:10.1177/000992289103000301

Black JJ, Rofey DL. An overview of common psychiatric problems among adolescent and young adult females: Focus on mood and anxiety. *Best Pract Res Clin Obstet Gynaecol*. Apr 2018;48:165-173. doi:10.1016/j.bpobgyn.2017.08.007

Blucker RT, Jackson D, Gillaspy JA, Hale J, Wolraich M, Gillaspy SR. Pediatric behavioral health screening in primary care: a preliminary analysis of the pediatric symptom checklist-17 with functional impairment items. *Clin Pediatr (Phila)*. May 2014;53(5):449-55. doi:10.1177/0009922814527498

Borowsky IW, Mozayeny S, Ireland M. Brief psychosocial screening at health supervision and acute care visits. *Pediatrics*. Jul 2003;112(1 Pt 1):129-33. doi:10.1542/peds.112.1.129

Bourne TY, Kumar S, Couto FH. COVID-19 Effects on Education and Mental Health within Adolescents. *Pediatrics*. 2021;147(3 MeetingAbstract):213-213. doi:10.1542/peds.147.3_MeetingAbstract.213

Brickman AL, Garrity CP, Shaw JA. Risk factors for psychosocial dysfunction among enrollees in the State Children's Health Insurance Program. *Psychiatr Serv*. May 2002;53(5):614-9. doi:10.1176/appi.ps.53.5.614

Brino KAS. Pediatric Mental Health and the Power of Primary Care: Practical Approaches and Validating Challenges. *J Pediatr Health Care*. 2020 Mar - Apr 2020;34(2):e12-e20. doi:10.1016/j.pedhc.2019.09.013

Buchbinder D, Patel SK, Casillas JN, et al. Parent proxy assessment of sibling quality of life following pediatric hematopoietic cell transplantation. *Health Qual Life Outcomes*. Oct 29 2019;17(1):162. doi:10.1186/s12955-019-1231-9

Bultas MW, McMillin SE, Broom MA, Zand DH. Brief, Rapid Response, Parenting Interventions Within Primary Care Settings. *The journal of behavioral health services & research*. Oct 2017;44(4):695-699. doi:10.1007/s11414-015-9479-2



Burke RE, Hoffman ND, Guy L, Bailey J, Silver EJ. Screening, Monitoring, and Referral to Treatment for Young Adolescents at an Urban School-Based Health Center. *Journal of School Health*. 2021;91(11)doi:<https://doi.org/10.1111/josh.13089>

Bursch B, Tsao JC, Meldrum M, Zeltzer LK. Preliminary validation of a self-efficacy scale for child functioning despite chronic pain (child and parent versions). *Pain*. Nov 2006;125(1-2):35-42. doi:10.1016/j.pain.2006.04.026

Burt J, Clarke B, LaBrot Z. Screening and Assessment of Disruptive, Impulse-Control, and Conduct Disorders. *Handbook of Pediatric Psychological Screening and Assessment in Primary Care*. Routledge; 2018:395-423.

Burton BK, Leviton L, Vespa H, et al. A diversified approach for PKU treatment: routine screening yields high incidence of psychiatric distress in phenylketonuria clinics. *Mol Genet Metab*. Jan 2013;108(1):8-12. doi:10.1016/j.ymgme.2012.11.003

Caballero TM, DeCamp LR, Platt RE, et al. Addressing the Mental Health Needs of Latino Children in Immigrant Families. *Clin Pediatr (Phila)*. Jun 2017;56(7):648-658. doi:10.1177/0009922816679509

Cancecko-Llego CD, Castillo-Carandang NT, Reyes AL. Validation of the Pictoral Pediatric Symptom Checklist-Filipino Version for the psychosocial screening of children in a low-income urban community. *Acta Medica Philippina*. 2009;43:62-68.

Castro J, Billick SB, Swank AC. Utility of a New Spanish RQC and PSC in Screening with CBCL Validation. *Psychiatr Q*. Jun 2016;87(2):343-53. doi:10.1007/s11126-015-9391-1

Chaffin M, Campbell C, Whitworth DN, et al. Accuracy of a Pediatric Behavioral Health Screener to Detect Untreated Behavioral Health Problems in Primary Care Settings. *Clin Pediatr (Phila)*. May 2017;56(5):427-434. doi:10.1177/0009922816678412

Chauhan JC, Kumar P, Dutta AK, Basu S, Kumar A. Assessment of dietary compliance to gluten free diet and psychosocial problems in Indian children with celiac disease. *Indian J Pediatr*. Jun 2010;77(6):649-54. doi:10.1007/s12098-010-0092-3

Chaurasiya A, Ranjan JK, Asthana HS. Hindi adaptation of Pediatric Symptom Checklist-Youth Version (PSC-Y). *Journal of Indian Association for Child & Adolescent Mental Health*. 2019;15(1):69-84.

Chellan D, Muktesh G, Vaiphei K, et al. Effect of gluten-free diet and compliance on quality of life in pediatric celiac disease patients. *JGH Open*. Oct 2019;3(5):388-393. doi:10.1002/jgh3.12172

Choi KR, McCreary M, Ford JD, Rahamanian Koushkaki S, Kenan KN, Zima BT. Validation of the Traumatic Events Screening Inventory for ACEs. *Pediatrics*. 2019;143(4)doi:10.1542/peds.2018-2546



Choi KR, Stewart T, Fein E, et al. The Impact of Attachment-Disrupting Adverse Childhood Experiences on Child Behavioral Health. *J Pediatr*. 2020;221:224-229. doi:10.1016/j.jpeds.2020.03.006

Chong SC, Chan YH, Ong HT, Low PS, Tay SK. Headache diagnosis, disability and co-morbidities in a multi-ethnic, heterogeneous paediatric Asian population. *Cephalgia*. Aug 2010;30(8):953-61. doi:10.1177/0333102409356327

Choudhary S, Niranjan N, Khichar S, Berwal PK, Barath AS. Behavioral Problems and Intelligence Quotient Changes in Pediatric Epilepsy: A Case-Control Study. *J Neurosci Rural Pract*. Oct-Dec 2017;8(4):617-621. doi:10.4103/jnrp.jnrp_57_17

Ciaccia KA, John RM. Unaccompanied Immigrant Minors: Where to Begin. *J Pediatr Health Care*. May-Jun 2016;30(3):231-40. doi:10.1016/j.pedhc.2015.12.009

Cianchetti C. Early Detection of Behavioral and Emotional Problems in School-Aged Children and Adolescents: The Parent Questionnaires. *Clin Pract Epidemiol Ment Health*. 2020;16:7-16. doi:10.2174/1745017902016010007

Committee on Psychosocial Aspects of Child Family Health, Task Force on Mental Health. The Future of Pediatrics: Mental Health Competencies for Pediatric Primary Care. *Pediatrics*. 2009;124(1):410-421. doi:10.1542/peds.2009-1061

Connor DF, McLaughlin TJ, Jeffers-Terry M, et al. Targeted child psychiatric services: a new model of pediatric primary clinician-child psychiatry collaborative care. *Clin Pediatr (Phila)*. Jun 2006;45(5):423-34. doi:10.1177/0009922806289617

Cooke CG, Kelley ML, Fals-Stewart W, Golden J. A comparison of the psychosocial functioning of children with drug-versus alcohol-dependent fathers. *Am J Drug Alcohol Abuse*. Nov 2004;30(4):695-710. doi:10.1081/ada-200037530

Crabtree VM, Ivanenko A, Gozal D. Clinical and parental assessment of sleep in children with attention-deficit/hyperactivity disorder referred to a pediatric sleep medicine center. *Clin Pediatr (Phila)*. Nov-Dec 2003;42(9):807-13. doi:10.1177/000992280304200906

Craig R, Naganathan S, Ballance C, Schairer J, Fleur RS. Improving Rates and Referrals of Developmental and Mental Health Screening at Well Child Visits. *Am Acad Pediatrics*; 2018.

D'Angelo E, Tunick R, Sinclair-McBride K, Morelli N. Global Screening for Behavioral Health Disorders. *Handbook of Pediatric Psychological Screening and Assessment in Primary Care*. 1 ed. Routledge; 2018.

Das S, Mukherjee A, Lodha R, Vatsa M. Quality of life and psychosocial functioning of HIV infected children. *Indian J Pediatr*. Jun 2010;77(6):633-7. doi:10.1007/s12098-010-0087-0



Davis DW, Honaker SM, Jones VF, Williams PG, Stocker F, Martin E. Identification and management of behavioral/mental health problems in primary care pediatrics: perceived strengths, challenges, and new delivery models. *Clin Pediatr (Phila)*. Oct 2012;51(10):978-82. doi:10.1177/0009922812441667

de la Barra F, Toledo V, Rodriguez J. Prediction of behavioral problems in Chilean schoolchildren. *Child Psychiatry Hum Dev*. Spring 2005;35(3):227-43. doi:10.1007/s10578-004-6459-9

Deighton J, Croudace T, Fonagy P, Brown J, Patalay P, Wolpert M. Measuring mental health and wellbeing outcomes for children and adolescents to inform practice and policy: a review of child self-report measures. *Child Adolesc Psychiatry Ment Health*. 2014;8:14. doi:10.1186/1753-2000-8-14

Dempster R, Wildman B, Keating A. The role of stigma in parental help-seeking for child behavior problems. *Journal of clinical child and adolescent psychology : the official journal for the Society of Clinical Child and Adolescent Psychology, American Psychological Association, Division 53*. 2013;42(1):56-67. doi:10.1080/15374416.2012.700504

DiStefano C, Barth SG, Greer F. Assessing Equivalency of PSC-17 Ratings: Does It Matter if Mixed or Grouped Item Format Is Used? *Journal of Psychoeducational Assessment*. 10/01/ 2019;37(7):920-924.

DiStefano C, Liu J, Burgess Y. Investigating the Structure of the Pediatric Symptoms Checklist in the Preschool Setting. *Journal of Psychoeducational Assessment*. 2017;35(5):494-505. doi:10.1177/0734282916647648

Doupnik SK, Henry MK, Bae H, et al. Mental Health Conditions and Symptoms in Pediatric Hospitalizations: A Single-Center Point Prevalence Study. *Acad Pediatr*. 03 2017;17(2):184-190. doi:10.1016/j.acap.2016.08.009

Duke N, Ireland M, Borowsky IW. Identifying psychosocial problems among youth: factors associated with youth agreement on a positive parent-completed PSC-17. *Child Care Health Dev*. Sep 2005;31(5):563-73. doi:10.1111/j.1365-2214.2005.00551.x

EI-Sonbaty MM, Fathy A, Aljohani A. Assessment of Behavioural Disorders in Children with Functional Constipation. *Open Access Maced J Med Sci*. Dec 15 2019;7(23):4019-4022. doi:10.3889/oamjms.2019.677

Elzaree FA, Shehata MA, EI Wakeel MA, El-Alameey IR, AbuShady MM, Helal SI. Adaptive Functioning and Psychosocial Problems in Children with Beta Thalassemia Major. *Open Access Maced J Med Sci*. Dec 20 2018;6(12):2337-2341. doi:10.3889/oamjms.2018.367

Eom E, Restaino S, Perkins AM, Neveln N, Harrington JW. Sexual harassment in middle and high school children and effects on physical and mental health. *Clin Pediatr (Phila)*. May 2015;54(5):430-8. doi:10.1177/0009922814553430



Erdogan S, Ozturk M. Psychometric evaluation of the Turkish version of the Pediatric Symptom Checklist-17 for detecting psychosocial problems in low-income children. *J Clin Nurs.* Sep 2011;20(17-18):2591-9. doi:10.1111/j.1365-2702.2010.03537.x

Fallucco EM, Wysocki T, James L, Kozikowski C, Williams A, Gleason MM. The Brief Early Childhood Screening Assessment: Preliminary Validity in Pediatric Primary Care. *J Dev Behav Pediatr.* 2017 Feb/Mar 2017;38(2):89-98. doi:10.1097/dbp.0000000000000384

Febres J, Shorey RC, Zucosky HC, et al. The Relationship between Male-Perpetrated Interparental Aggression, Paternal Characteristics, and Child Psychosocial Functioning. *J Child Fam Stud.* Jul 1 2014;23(5):907-916. doi:10.1007/s10826-013-9748-8

Ferguson CJ, Olson CK. Video game violence use among "vulnerable" populations: the impact of violent games on delinquency and bullying among children with clinically elevated depression or attention deficit symptoms. *J Youth Adolesc.* Jan 2014;43(1):127-36. doi:10.1007/s10964-013-9986-5

Flake EM, Davis BE, Johnson PL, Middleton LS. The psychosocial effects of deployment on military children. *J Dev Behav Pediatr.* Aug 2009;30(4):271-8. doi:10.1097/DBP.0b013e3181aac6e4

Fonseca A, Kral MC, Lally MD, Boan AD, Macias MM. Bullying and ostracism in youth with and without ADHD: Implications for risk and resilience. *Children's Health Care.* 2019;48(2):164-175. doi:10.1080/02739615.2018.1514607

Forman-Hoffman VL, Viswanathan M. Screening for Depression in Pediatric Primary Care. *Curr Psychiatry Rep.* 07 23 2018;20(8):62. doi:10.1007/s11920-018-0926-7

Foy JM, Green CM, Earls MF, CHILD COPAO, FAMILY HEALTH MHLWG. Mental Health Competencies for Pediatric Practice. *Pediatrics.* 2019;144(5):e20192757. doi:10.1542/peds.2019-2757

Gaete J. Validation of the Paediatric Symptom Checklist to Identify and Assess Psychosocial Problems among Early Adolescents in Chile, 2017. Data. *UK Data Archive.* 2021;doi:<http://dx.doi.org.ezp-prod1.hul.harvard.edu/10.5255/UKDA-SN-854843>

Gall G, Pagano ME, Desmond MS, Perrin JM, Murphy JM. Utility of psychosocial screening at a school-based health center. *J Sch Health.* Sep 2000;70(7):292-8. doi:10.1111/j.1746-1561.2000.tb07254.x

Gardner W, Kelleher KJ, Pajer K, Campo JV. Follow-up care of children identified with ADHD by primary care clinicians: A prospective cohort study. *J Pediatr.* Dec 2004;145(6):767-71. doi:10.1016/j.jpeds.2004.08.028

Gardner W, Kelleher KJ, Pajer KA, Campo JV. Primary care clinicians' use of standardized tools to assess child psychosocial problems. *Ambul Pediatr.* Jul-Aug 2003;3(4):191-5. doi:10.1367/1539-4409(2003)003<0191:pccuos>2.0.co;2



Gardner W, Kelleher KJ, Pajer KA. Multidimensional adaptive testing for mental health problems in primary care. *Med Care*. Sep 2002;40(9):812-23. doi:10.1097/00005650-200209000-00010

Gardner W, Lucas A, Kolko DJ, Campo JV. Comparison of the PSC-17 and alternative mental health screens in an at-risk primary care sample. *J Am Acad Child Adolesc Psychiatry*. May 2007;46(5):611-618. doi:10.1097/chi.0b013e318032384b

Gardner W, Nutting PA, Kelleher KJ, et al. Does the family APGAR effectively measure family functioning? *J Fam Pract*. Jan 2001;50(1):19-25.

Gardner W, Pajer KA, Kelleher KJ, Scholle SH, Wasserman RC. Child sex differences in primary care clinicians' mental health care of children and adolescents. *Arch Pediatr Adolesc Med*. May 2002;156(5):454-9. doi:10.1001/archpedi.156.5.454

Ghorbanpoor M, Mirzaie M, Mirhaghjou SN, Atrkar Roshan Z. The Relationship Between Psychosocial Status and Adherence to Treatment Regimen in Adolescents With Thalassemia. Research. *Journal of Holistic Nursing and Midwifery*. 2020;30(2):78-85. doi:10.32598/jhnm.30.2.78

Glascoe FP. Parents' evaluation of developmental status: how well do parents' concerns identify children with behavioral and emotional problems? *Clin Pediatr (Phila)*. Mar 2003;42(2):133-8. doi:10.1177/000992280304200206

Glascoe FP. Screening for developmental and behavioral problems. *Ment Retard Dev Disabil Res Rev*. 2005;11(3):173-9. doi:10.1002/mrdd.20068

Gold J, Buonopane RJ, Caggiano RA, et al. Assessing outcomes in child psychiatry. *Am J Manag Care*. Apr 2009;15(4):210-6.

Gowey M, Redden D, Lim C, Janicke D, Dutton G. Executive function phenotypes in pediatric obesity. *Pediatr Obes*. 09 2020;15(9):e12655. doi:10.1111/ijpo.12655

Groves AP, Gettinger K, Druley TE, et al. Special Therapy and Psychosocial Needs Identified in a Multidisciplinary Cancer Predisposition Syndrome Clinic. *J Pediatr Hematol Oncol*. 03 2019;41(2):133-136. doi:10.1097/mph.0000000000001251

Guevara JP, Rothbard A, Shera D, et al. Correlates of behavioral care management strategies used by primary care pediatric providers. *Ambul Pediatr*. Mar-Apr 2007;7(2):160-6. doi:10.1016/j.ambp.2006.12.006

Gupta AK, Mongia M, Garg AK. A descriptive study of behavioral problems in schoolgoing children. *Ind Psychiatry J*. Jan-Jun 2017;26(1):91-94. doi:10.4103/ijp.ipj_39_17



Guzman J, Kessler RC, Squicciarini AM, et al. Evidence for the effectiveness of a national school-based mental health program in Chile. *J Am Acad Child Adolesc Psychiatry*. Oct 2015;54(10):799-807 e1. doi:10.1016/j.jaac.2015.07.005

Guzman MP, Jellinek M, George M, et al. Mental health matters in elementary school: first-grade screening predicts fourth grade achievement test scores. *Eur Child Adolesc Psychiatry*. Aug 2011;20(8):401-11. doi:10.1007/s00787-011-0191-3

Hacker K, Arsenault L, Franco I, et al. Referral and follow-up after mental health screening in commercially insured adolescents. *J Adolesc Health*. Jul 2014;55(1):17-23. doi:10.1016/j.jadohealth.2013.12.012

Hacker K, Goldstein J, Link D, et al. Pediatric provider processes for behavioral health screening, decision making, and referral in sites with colocated mental health services. *J Dev Behav Pediatr*. Nov-Dec 2013;34(9):680-7. doi:10.1097/DBP.0000437831.04723.6f

Hacker K, Penfold R, Arsenault LN, Zhang F, Soumerai SB, Wissow LS. The impact of the Massachusetts behavioral health child screening policy on service utilization. *Psychiatric services*. 2017;68(1):25-32.

Hacker KA, Arsenault LN, Williams S, Digirolamo AM. Mental and behavioral health screening at preventive visits: opportunities for follow-up of patients who are nonadherent with the next preventive visit. *J Pediatr*. Apr 2011;158(4):666-671 e2. doi:10.1016/j.jpeds.2010.09.059

Hacker KA, Myagmarjav E, Harris V, Suglia SF, Weidner D, Link D. Mental health screening in pediatric practice: factors related to positive screens and the contribution of parental/personal concern. *Pediatrics*. Nov 2006;118(5):1896-906. doi:10.1542/peds.2006-0026

Hacker KA, Penfold R, Arsenault L, Zhang F, Murphy M, Wissow L. Screening for behavioral health issues in children enrolled in Massachusetts Medicaid. *Pediatrics*. Jan 2014;133(1):46-54. doi:10.1542/peds.2013-1180

Hacker KA, Penfold RB, Arsenault LN, Zhang F, Murphy M, Wissow LS. Behavioral health services following implementation of screening in Massachusetts Medicaid children. *Pediatrics*. Oct 2014;134(4):737-46. doi:10.1542/peds.2014-0453

Hacker KA, Williams S, Myagmarjav E, Cabral H, Murphy M. Persistence and change in pediatric symptom checklist scores over 10 to 18 months. *Acad Pediatr*. Jul-Aug 2009;9(4):270-7. doi:10.1016/j.acap.2009.03.004

Han DH, Woo J, Jeong JH, Hwang S, Chung US. The Korean Version of the Pediatric Symptom Checklist: Psychometric Properties in Korean School-aged Children. *J Korean Med Sci*. Aug 2015;30(8):1167-74. doi:10.3346/jkms.2015.30.8.1167



Hansel T, Rohrer G, Osofsky J, Osofsky H, Arthur E, Barker C. Integration of Mental and Behavioral Health in Pediatric Health Care Clinics. *J Public Health Manag Pract.* 2017 Nov/Dec 2017;23 Suppl 6 Suppl, Gulf Region Health Outreach Program:S19-S24. doi:10.1097/phh.00000000000000649

Hastuti H, Nisa Z, Umma H, Putri A, Mashuri Y. The Effect of Short Stature on Children's Cognitive Abilities and Psychosocial Condition. *Journal of Maternal and Child Health.* 01/01 2020;5:297-303. doi:10.26911/thejmch.2020.05.03.08

Hawkins J. Improving Care for Children Affected by Adverse Childhood Experiences. DNP Scholarly Project: East Carolina University; 2020.

Hayutin LG, Reed-Knight B, Blount RL, Lewis J, McCormick ML. Increasing parent-pediatrician communication about children's psychosocial problems. *J Pediatr Psychol.* Nov-Dec 2009;34(10):1155-64. doi:10.1093/jpepsy/jsp012

Higuchi T, Ishizaki Y, Uenishi H, et al. Reliability and Validity of the Japanese Version of the Youth-rating Pediatric Symptom Checklist Shortened Version. 2021.

Hiott DB, Phillips S, Amella E. Adolescent Risk Screening Instruments for Primary Care: An Integrative Review Utilizing the Donabedian Framework. *Comprehensive Child & Adolescent Nursing.* 2018;41(4):255-275. doi:10.1080/24694193.2017.1330372

Holcomb JM, Boudreau AA, Riobueno-Naylor A, et al. Beyond Initial Screening: One-Year Follow-up of Adolescents with Internalizing Problems on the Pediatric Symptom Checklist. *Journal of Developmental & Behavioral Pediatrics.* 2021;42(4):283-290.

Holden EW, Schuman WB. The detection and management of mental health disorders in primary pediatric care. *Journal of Clinical Psychology in Medical Settings.* 1995;2(1):71-87.

Honigfeld L, Macary SJ, Grasso DJ. A Clinical Care Algorithmic Toolkit for Promoting Screening and Next-Level Assessment of Pediatric Depression and Anxiety in Primary Care. Article. *Journal of Pediatric Health Care.* 2017;31(3):e15-e23. doi:10.1016/j.pedhc.2017.01.008

Huang KY, Bornheimer LA, Dankyi E, de-Graft Aikins A. Parental Wellbeing, Parenting and Child Development in Ghanaian Families with Young Children. *Child Psychiatry Hum Dev.* 2018;49(5):833-841. doi:10.1007/s10578-018-0799-3

Hussong AM, Halberstadt A, Langley HA, Thomas TE, Coffman JL. Parents' Responses to Children's Ingratitude are Associated with Children's Gratitude and Internalizing 3 Years Later. *Journal of Family Psychology.* 2021;Publish Ahead of Print. doi:10.1037/fam0000855

Hussong AM, Midgette AJ, Thomas TE, Coffman JL, Cho S. Coping and Mental Health in Early Adolescence during COVID-19. *Research on Child and Adolescent Psychopathology.* 2021. doi:10.1007/s10802-021-00821-0



Im Y, Kim DH. Family Management Style and Psychosocial Health of Children with Chronic Conditions. *Journal of child and family studies*. Feb 2021;30(2):483-492. doi:10.1007/s10826-020-01870-7

Irannezhad E, Soltanizadeh M. Comparison of Mental Health of Female Students with Early, Late, and Normal Menarche in Isfahan, Iran. 03/01/21 2021;27(4):253-260. doi:10.29252/ajcm.27.4.253

Ishizaki Y, Ishizaki T, Ozawa K, Fukai Y, Hattori Y, Taniuchi S, Kobayashi Y. Psychosocial Problems Among Siblings of Children with Disabilities in Japan: Psychosocial Association Between Mothers and Siblings. *Journal of Developmental and Physical Disabilities*. 2005;17(2):119-132.

Ishizaki Y, Fukai Y, Kobayashi Y. Preliminary study of validation of the Japanese version of Pediatric Symptom Checklist by Jellinek of Massachusetts General Hospital: A new screening method for children with psychosocial and psychosomatic dysfunction. *The Journal of the Japan Pediatric Society*. 1997;101:1679-1985.

İşik B, Ayaz Alkaya S. Internet use and psychosocial health of school aged children. *Psychiatry research*. 2017;255:204-208. doi:10.1016/j.psychres.2017.05.043

Ivanenko A, Barnes ME, Crabtree VM, Gozal D. Psychiatric symptoms in children with insomnia referred to a pediatric sleep medicine center. *Sleep Med*. May 2004;5(3):253-9. doi:10.1016/j.sleep.2004.02.001

Jacobson JH, Pullmann MD, Parker EM, Kerns SEU. Measurement Based Care in Child Welfare-Involved Children and Youth: Reliability and Validity of the PSC-17. *Child Psychiatry Hum Dev*. 04 2019;50(2):332-345. doi:10.1007/s10578-018-0845-1

Jee SH, Couderc JP, Swanson D, et al. A pilot randomized trial teaching mindfulness-based stress reduction to traumatized youth in foster care. *Complement Ther Clin Pract*. Aug 2015;21(3):201-9. doi:10.1016/j.ctcp.2015.06.007

Jeffrey J, Klomhaus A, Ennenbach M, Lester P, Krishna R. Self-Report Rating Scales to Guide Measurement-Based Care in Child and Adolescent Psychiatry. *Child and adolescent psychiatric clinics of North America*. Oct 2020;29(4):601-629. doi:10.1016/j.chc.2020.06.002

Jellinek M, Bergmann P, Holcomb JM, et al. Recognizing Adolescent Depression with Parent-and Youth-Report Screens in Pediatric Primary Care. *The Journal of Pediatrics*. 2021;233:220-226. e1.

Jellinek M, Evans N, Knight RB. Use of a behavior checklist on a pediatric inpatient unit. *J Pediatr*. Jan 1979;94(1):156-8. doi:10.1016/s0022-3476(79)80386-8

Jellinek M, Little M, Murphy JM, Pagano M. The Pediatric Symptom Checklist. Support for a role in a managed care environment. *Arch Pediatr Adolesc Med*. Jul 1995;149(7):740-6. doi:10.1001/archpedi.1995.02170200030004



Jellinek M, Murphy JM. Screening for Psychosocial Functioning as the Eighth Vital Sign. *JAMA Pediatr.* Jan 2021;175(1):13-14. doi:10.1001/jamapediatrics.2020.2005

Jellinek MS, Murphy JM. Use of the pediatric symptom checklist in outpatient practice. *Current problems in pediatrics.* 1990;20:602-609.

Jellinek MS, Bishop SJ, Murphy JM, Biederman J, Rosenbaum JF. Screening for dysfunction in the children of outpatients at a psychopharmacology clinic. *Am J Psychiatry.* Aug 1991;148(8):1031-6. doi:10.1176/ajp.148.8.1031

Jellinek MS, Murphy JM, Burns BJ. Brief psychosocial screening in outpatient pediatric practice. *J Pediatr.* Aug 1986;109(2):371-8. doi:10.1016/s0022-3476(86)80408-5

Jellinek MS, Murphy JM, Robinson J, Feins A, Lamb S, Fenton T. Pediatric Symptom Checklist: screening school-age children for psychosocial dysfunction. *J Pediatr.* Feb 1988;112(2):201-9. doi:10.1016/s0022-3476(88)80056-8

Jellinek MS, Murphy JM. Screening for psychosocial disorders in pediatric practice. *Am J Dis Child.* Nov 1988;142(11):1153-7. doi:10.1001/archpedi.1988.02150110031013

Jellinek MS, Murphy JM. The recognition of psychosocial disorders in pediatric office practice: the current status of the pediatric symptom checklist. *J Dev Behav Pediatr.* Oct 1990;11(5):273-8.

Jellinek MS. Attachments: The Pediatric Symptom Checklist: A Bridge to Child and Adolescent Psychiatry From Pediatrics. *J Am Acad Child Adolesc Psychiatry.* 2021;60(6):667-668. doi:10.1016/j.jaac.2020.10.020

Jellinek MS. Managed care: good or bad news for children? *J Dev Behav Pediatr.* Aug 1994;15(4):273-4.

Johnston BD, Martin-Herz SP. Correlates of reinjury risk in sibling groups: a prospective observational study. *Pediatrics.* Mar 2010;125(3):483-90. doi:10.1542/peds.2009-1594

Jonovich SJ, Alpert-Gillis LJ. Impact of pediatric mental health screening on clinical discussion and referral for services. *Clin Pediatr (Phila).* Apr 2014;53(4):364-71. doi:10.1177/0009922813511146

Jordan SS, Hilker KA, Stoppelbein L, Elkin TD, Applegate H, Iyer R. Nocturnal enuresis and psychosocial problems in pediatric sickle cell disease and sibling controls. *J Dev Behav Pediatr.* Dec 2005;26(6):404-11. doi:10.1097/00004703-200512000-00003

Joshi D, Tiwari MK, Kannan V, Dalal SS, Mathai SS. Emotional and behavioral disturbances in school going HIV positive children attending HIV clinic. *Med J Armed Forces India.* Jan 2017;73(1):18-22. doi:10.1016/j.mjafi.2016.12.002



Joshi H, Apple R. Screening Adolescents for ADHD, Oppositional Defiant Disorder, and Conduct Disorder in Primary Care. In: Morelli V, ed. *Adolescent Health Screening: an Update in the Age of Big Data*. Elsevier; 2019:107-113.

Jutte DP, Burgos A, Mendoza F, Ford CB, Huffman LC. Use of the Pediatric Symptom Checklist in a low-income, Mexican American population. *Arch Pediatr Adolesc Med*. Dec 2003;157(12):1169-76. doi:10.1001/archpedi.157.12.1169

Kamin HS, McCarthy AE, Abel MR, Jellinek MS, Baer L, Murphy JM. Using a Brief Parent-Report Measure to Track Outcomes for Children and Teens with Internalizing Disorders. *Child Psychiatry Hum Dev*. Dec 2015;46(6):851-62. doi:10.1007/s10578-014-0525-8

Kefale D, Boka A, Mengstu Z, Belayneh Z, Zeleke S. Emotional and behavioral problems and associated factors among children and adolescents on highly active anti-retroviral therapy in public hospitals of West Gojjam zone, Amhara regional state of Ethiopia, 2018: a cross-sectional study. *BMC Pediatr*. 05 03 2019;19(1):141. doi:10.1186/s12887-019-1453-3

Kelleher KJ, Childs GE, Wasserman RC, McInerny TK, Nutting PA, Gardner, WP. Insurance status and recognition of psychosocial problems: A report from the Pediatric Research in Office Settings and the Ambulatory Sentinel Practice Networks. *Archives of Pediatrics & Adolescent Medicine*. 1998;151(11):1109-1115.

Kelleher KJ, Moore CD, Childs GE, Angelilli ML, Comer DM. Patient race and ethnicity in primary care management of child behavior problems: a report from PROS and ASPN. *Pediatric Research in Office Settings. Ambulatory Sentinel Practice Network. Med Care*. Nov 1999;37(11):1092-104. doi:10.1097/00005650-199911000-00002

Kelley ML, Fals-Stewart W. Psychiatric disorders of children living with drug-abusing, alcohol-abusing, and non-substance-abusing fathers. *J Am Acad Child Adolesc Psychiatry*. May 2004;43(5):621-8. doi:10.1097/00004583-200405000-00016

Kim DH, Im YJ. The influence of family management style on psychosocial problems of childhood cancer survivors in Korea. *Eur J Oncol Nurs*. Apr 2015;19(2):107-12. doi:10.1016/j.ejon.2014.10.010

Kim E, Lee R, Cain KC. Cosleeping, sleep disturbances, children's behavioral problems, and parenting self-efficacy among Korean American families. *J Child Adolesc Psychiatr Nurs*. May 2017;30(2):112-120. doi:10.1111/jcap.12182

Klassen BJ, Porcerelli JH, Sklar ER, Markova T. Pediatric symptom checklist ratings by mothers with a recent history of intimate partner violence: a primary care study. *J Clin Psychol Med Settings*. Dec 2013;20(4):473-7. doi:10.1007/s10880-012-9354-8

Kleinman RE, Hall S, Green H, et al. Diet, breakfast, and academic performance in children. *Ann Nutr Metab*. 2002;46 Suppl 1:24-30. doi:10.1159/000066399



Kleinman RE, Murphy JM, Little M, et al. Hunger in children in the United States: potential behavioral and emotional correlates. *Pediatrics*. Jan 1998;101(1):E3. doi:10.1542/peds.101.1.e3

Koc O, Kavuncuoglu S, Ramoglu MG, Aldemir E, Aktalay A, Eras Z. School Performance and Neurodevelopment of Very Low Birth Weight Preterm Infants: First Report From Turkey. *J Child Neurol*. Feb 2016;31(2):170-6. doi:10.1177/0883073815587028

Kolko DJ, Campo JV, Kelleher K, Cheng Y. Improving access to care and clinical outcome for pediatric behavioral problems: a randomized trial of a nurse-administered intervention in primary care. *J Dev Behav Pediatr*. Jun 2010;31(5):393-404. doi:10.1097/DBP.0b013e3181dff307

Kolko DJ, Campo JV, Kilbourne AM, Kelleher K. Doctor-office collaborative care for pediatric behavioral problems: a preliminary clinical trial. *Arch Pediatr Adolesc Med*. Mar 2012;166(3):224-31. doi:10.1001/archpediatrics.2011.201

Kostanecka A, Power T, Clarke A, Watkins M, Hausman CL, Blum NJ. Behavioral health screening in urban primary care settings: construct validity of the PSC-17. *J Dev Behav Pediatr*. Apr 2008;29(2):124-8. doi:10.1097/DBP.0b013e31816a0d9e

Kovacic K, Sood MR, Mugie S, et al. A multicenter study on childhood constipation and fecal incontinence: effects on quality of life. *J Pediatr*. Jun 2015;166(6):1482-7 e1. doi:10.1016/j.jpeds.2015.03.016

Kunz JH, Greenley RN, Howard M. Maternal, paternal, and family health-related quality of life in the context of pediatric inflammatory bowel disease. *Qual Life Res*. Oct 2011;20(8):1197-204. doi:10.1007/s11136-011-9853-3

Lavigne JV, Meyers KM, Feldman M. Systematic Review: Classification Accuracy of Behavioral Screening Measures for Use in Integrated Primary Care Settings. *J Pediatr Psychol*. Nov 2016;41(10):1091-1109. doi:10.1093/jpepsy/jsw049

Lee CC, Holder-Niles FF, Haynes L, et al. Associations Between Patient-Reported Outcome Measures of Asthma Control and Psychosocial Symptoms. *Clin Pediatr (Phila)*. 03 2019;58(3):307-312. doi:10.1177/0009922818812479

Lee J, Kolomer S, Thomsen D. Evaluating the effectiveness of an intervention for children exposed to domestic violence: A preliminary program evaluation. *Child Adolesc Soc Work J*. 2012;29:357- 372.

Leiner MA, Balcazar H, Straus DC, Shirsat P, Handal G. Screening Mexicans for psychosocial and behavioral problems during pediatric consultation. *Rev Invest Clin*. Mar-Apr 2007;59(2):116-23.

Leiner MA, Puertas H, Caratachea R, Perez H, Jimenez P. Sensitivity and specificity of the pictorial Pediatric Symptom Checklist for psychosocial problem detection in a Mexican sample. *Rev Invest Clin*. Nov-Dec 2010;62(6):560-7.



Leiva L, Antivilo-Bruna A, Torres-Cortés B, Peña F, Scquicciarini AM. Relationship between adverse childhood experiences and mental health: Implications for a nationwide school mental health program. *Current Psychology*. 2021. doi:10.1007/s12144-021-02342-x

Leiva L, Rojas R, Peña F, Vargas B, Scquicciarini AM. Detectando las Dificultades Emocionales y Conductuales en la Escuela: Validación de PSC-17. *Revista Iberoamericana de Diagnóstico y Evaluación-e Avaliação Psicológica*. 2019;1(50):95-105.

Lin Y-M, Kuo S-Y, Chang Y-K, et al. Effects of Parental Education on Screen Time, Sleep Disturbances, and Psychosocial Adaptation Among Asian Preschoolers: A Randomized Controlled Study. *Journal of Pediatric Nursing-Nursing Care of Children & Families*. Jan-Feb 2021;56:E27-E34. doi:10.1016/j.pedn.2020.07.003

Lindhiem O, Kolko DJ. Trajectories of symptom reduction during treatment for behavior problems in pediatric primary-care settings. *Adm Policy Ment Health*. Nov 2011;38(6):486-94. doi:10.1007/s10488-011-0335-2

Little M, Murphy JM, Jellinek MS, Bishop SJ, Arnett HL. Screening 4- and 5-year-old children for psychosocial dysfunction: A preliminary study with the Pediatric Symptom Checklist. *Journal of Developmental & Behavioral Pediatrics*. 1994;15(3):191-197.

Liu J, DiStefano C, Burgess Y, Wang J. Pediatric Symptom Checklist-17 Testing Measurement Invariance of a Higher-Order Factor Model Between Boys and Girls. *European Journal of Psychological Assessment*. Jan 2020;36(1):77-83. doi:10.1027/1015-5759/a000495

Liu J, Guo S, Gao R, DiStefano C. Investigating school children's behavioral and emotional problems using pediatric symptoms checklist-17 in a structural equation modeling framework. *School psychology international*. 2020;41(3):257-275.

Lloyd J, Jellinek MS, Little M, Murphy JM, Pagano M. Screening for psychosocial dysfunction in pediatric inpatients. *Clin Pediatr (Phila)*. Jan 1995;34(1):18-24. doi:10.1177/000992289503400104

López V, Murphy M, Lucke C, et al. Peer victimization and mental health risk in Chilean students. *Journal of child and family studies*. 2018;27(8):2608-2621.

Louthrenoo O, Ukarapol N, Wongsawasdi L. Psychosocial problems and childhood recurrent abdominal pain. *J Med Assoc Thai*. Dec 2010;93(12):1379-84.

Lowenthal E, Lawler K, Harari N, et al. Rapid psychosocial function screening test identified treatment failure in HIV+ African youth. *AIDS Care*. 2012;24(6):722-7. doi:10.1080/09540121.2011.644233

Lowenthal E, Lawler K, Harari N, et al. Validation of the Pediatric Symptom Checklist in HIV-infected Batswana. *J Child Adolesc Ment Health*. Jan 1 2011;23(1):17-28. doi:10.2989/17280583.2011.594245



Lowenthal ED, Marukutira T, Tshume O, Chapman J, Anabwani GM, Gross R. Prediction of HIV Virologic Failure Among Adolescents Using the Pediatric Symptom Checklist. *AIDS Behav.* Nov 2015;19(11):2044-8. doi:10.1007/s10461-015-1061-7

Lund E, Gabrielli J. The role of pediatric psychologists in mitigating disability-specific barriers among youth during the COVID-19 pandemic. *Clinical Practice in Pediatric Psychology.* 2021;9. doi:10.1037/cpp0000387

MacNeily, AE. Should Psychological Assessment be a Part of Incontinence Management in Children and Adolescents? *The Journal of Urology.* 2016;195(5):1327-1328.

Mancini MA. A Pilot Study Evaluating a School-Based, Trauma-Focused Intervention for Immigrant and Refugee Youth. *Child and Adolescent Social Work Journal.* Jun 2020;37(3):287-300. doi:10.1007/s10560-019-00641-8

Marlow M, Servili C, Tomlinson M. A review of screening tools for the identification of autism spectrum disorders and developmental delay in infants and young children: recommendations for use in low- and middle-income countries. *Autism Res.* 02 2019;12(2):176-199. doi:10.1002/aur.2033

Marti FA, Pourat N, Lee C, Zima BT. Overview of Ten Child Mental Health Clinical Outcome Measures: Testing of Psychometric Properties with Diverse Client Populations in the US. Article; Early Access. *Adm Policy Ment Health.* 2021. doi:10.1007/s10488-021-01157-z

Mashegoane S, Ramoloto NP. Attachment dimensions' capacity to predict problem behaviors in an African context. *South African Journal of Psychology.* 2016;46(2):266-277.

May J, Kazee N, Castillo S, et al. From silos to an innovative health care delivery and patient engagement model for children in Medicaid. *Healthcare (Amsterdam).* 2018;6(1):67-73. doi:10.1016/j.hjdsi.2016.12.008

McCarthy A, Asghar S, Wilens T, et al. Using a Brief Parent-Report Measure to Track Outcomes for Children and Teens with ADHD. *Child Psychiatry Hum Dev.* Jun 2016;47(3):407-16. doi:10.1007/s10578-015-0575-6

McCarty CA, Russo J, Grossman DC, et al. Adolescents with suicidal ideation: health care use and functioning. *Acad Pediatr.* Sep-Oct 2011;11(5):422-6. doi:10.1016/j.acap.2011.01.004

McGovern CM, Arcoleo K, Melnyk B. COPE for asthma: Outcomes of a cognitive behavioral intervention for children with asthma and anxiety. *Sch Psychol.* Nov 2019;34(6):665-676. doi:10.1037/spq0000310

McKee L, Roland E, Coffelt N, Olson AL, Forehand R, Massari C. Harsh Discipline and Child Problem Behaviors: The Roles of Positive Parenting and Gender. *Journal of Family Violence.* 2007;22(4):187-196.



McLaurin-Jiang S, Cohen GM, Brown CL, Edwards P, Albertini LW. Integrated Mental Health Training Relates to Pediatric Residents' Confidence with Child Mental Health Disorders. *Acad Psychiatry*. Jun 2020;44(3):299-304. doi:10.1007/s40596-020-01182-4

Mehus CJ, Kazlauskaitė V, Colianni S, Borowsky IW. Parents' interest in resources to address their child's behavioral health through primary care. *Fam Syst Health*. 09 2019;37(3):244-248. doi:10.1037/fsh0000429

Mekori-Domachevsky E, Matalon N, Mayer Y, et al. Internalizing symptoms impede adolescents' ability to transition from in-person to online mental health services during the 2019 coronavirus disease pandemic. Article; Early Access. *J Telemed Telecare*. 2021. doi:10.1177/1357633x211021293

Metwally AM, El-Sonbaty MM, El Etreby LA, et al. Impact of National Egyptian school feeding program on growth, development, and school achievement of school children. *World J Pediatr*. Aug 2020;16(4):393-400. doi:10.1007/s12519-020-00342-8

Michaud AL, Cadigan C, Mason C, Recklitis CJ. Evaluating the Brief Parental Intake Form (BPIF) for psychosocial difficulties in childhood cancer survivors. *Psychooncology*. 10 2020;29(10):1510-1512. doi:10.1002/pon.5482

Miller E, Wieneke KM, Murphy JM, et al. Child and parental poor health among families at risk for hunger attending a community health center. *J Health Care Poor Underserved*. May 2008;19(2):550-61. doi:10.1353/hpu.0.0008

Monir ZM, El-Din EM, El-Alamey IR, et al. Academic Achievement and Psychosocial Profile of Egyptian Primary School Children in South Sinai. *Open Access Maced J Med Sci*. Dec 15 2016;4(4):624-629. doi:10.3889/oamjms.2016.111

Mupidathi S, Boj J, Kunjithapatham M. Use of the pediatric symptom checklist to screen for behaviour problems in children. *International Journal of Contemporary Pediatrics*. 04/25 2017;4:886. doi:10.18203/2349-3291.ijcp20171692

Murphy JM, Arnett HL, Bishop SJ, Jellinek MS, Reede JY. Screening for psychosocial dysfunction in pediatric practice. A naturalistic study of the Pediatric Symptom Checklist. *Clin Pediatr (Phila)*. Nov 1992;31(11):660-7. doi:10.1177/000992289203101104

Murphy JM, Bergmann P, Chiang C, et al. The PSC-17: Subscale Scores, Reliability, and Factor Structure in a New National Sample. *Pediatrics*. Sep 2016;138(3):doi:10.1542/peds.2016-0038

Murphy JM, Blais M, Baer L, et al. Measuring outcomes in outpatient child psychiatry: reliable improvement, deterioration, and clinically significant improvement. *Clin Child Psychol Psychiatry*. Jan 2015;20(1):39-52. doi:10.1177/1359104513494872



Murphy JM, Guzman J, McCarthy AE, et al. Mental health predicts better academic outcomes: a longitudinal study of elementary school students in Chile. *Child Psychiatry Hum Dev*. Apr 2015;46(2):245-56. doi:10.1007/s10578-014-0464-4

Murphy JM, Ichinose C, Hicks RC, et al. Utility of the Pediatric Symptom Checklist as a psychosocial screen to meet the federal Early and Periodic Screening, Diagnosis, and Treatment (EPSDT) standards: a pilot study. *J Pediatr*. Dec 1996;129(6):864-9. doi:10.1016/s0022-3476(96)70030-6

Murphy JM, Jellinek M. Screening for psychosocial dysfunction in economically disadvantaged and minority group children: further validation of the Pediatric Symptom Checklist. *Am J Orthopsychiatry*. Jul 1988;58(3):450-456. doi:10.1111/j.1939-0025.1988.tb01605.x

Murphy JM., Jellinek MJ, Milinsky S. The Pediatric Symptom Checklist: Validation in the real world of the junior high school. *Journal of Pediatric Psychology*, 1998;14:629-639.

Murphy JM, Masek B, Babcock R, et al. Measuring outcomes in outpatient child psychiatry: the contribution of electronic technologies and parent report. *Clin Child Psychol Psychiatry*. Jan 2011;16(1):146-60. doi:10.1177/1359104509352895

Murphy JM, Nguyen T, Lucke C, Chiang C, Plasencia N, Jellinek M. Adolescent Self-Screening for Mental Health Problems; Demonstration of an Internet-Based Approach. *Acad Pediatr*. 2018;18(1):59-65. doi:10.1016/j.acap.2017.08.013

Murphy JM, Reede J, Jellinek MS, Bishop SJ. Screening for psychosocial dysfunction in inner-city children: further validation of the Pediatric Symptom checklist. *J Am Acad Child Adolesc Psychiatry*. Nov 1992;31(6):1105-11. doi:10.1097/00004583-199211000-00019

Murphy JM, Riobueno-Naylor A, Haile H, et al. Behavioural Health Screening and Service Use in a Statewide Sample of Medicaid-Eligible Pediatric Outpatients. *Science Repository*. 2020;doi:10.31487/j.PDR.2020.03.04

Murphy JM, Stepanian S, Riobueno-Naylor A, et al. Implementation of an electronic approach to psychosocial screening in a network of pediatric practices. *Academic pediatrics*. 2021;21(4):702-709.

Murphy JM, Wehler CA, Pagano ME, Little M, Kleinman RE, Jellinek MS. Relationship between hunger and psychosocial functioning in low-income American children. *J Am Acad Child Adolesc Psychiatry*. Feb 1998;37(2):163-70. doi:10.1097/00004583-199802000-00008

Murphy M, Kamin H, Masek B, et al. Using brief clinician and parent measures to track outcomes in outpatient child psychiatry: longer term follow-up and comparative effectiveness. *Child Adolesc Ment Health*. Nov 2012;17(4):222-230. doi:10.1111/j.1475-3588.2011.00642.x



Muzzolon SR, Cat MN, dos Santos LH. Evaluation of the Pediatric Symptom Checklist as a screening tool for the identification of emotional and psychosocial problems. *Rev Paul Pediatr.* Sep 2013;31(3):359-65. doi:10.1590/S0103-05822013000300013

Nasir A, Zimmer A, Taylor D, Santo J. Psychosocial assessment of the family in the clinical setting. *BMC Psychol.* Jan 11 2019;7(1):3. doi:10.1186/s40359-018-0277-5

Navon M, Nelson D, Pagano M, Murphy M. Use of the pediatric symptom checklist in strategies to improve preventive behavioral health care. *Psychiatr Serv.* Jun 2001;52(6):800-4. doi:10.1176/appi.ps.52.6.800

Nicholson B, Anderson M, Fox R, Brenner V. One Family at a Time: A Prevention Program for At-Risk Parents. *Journal of Counseling and Development.* 2002;80(3):362-371.

Norizan A, Shamsuddin K. Predictors of parenting stress among Malaysian mothers of children with Down syndrome. *J Intellect Disabil Res.* Nov 2010;54(11):992-1003. doi:10.1111/j.1365-2788.2010.01324.x

Ohene SA, Ireland M, McNeely C, Borowsky IW. Parental expectations, physical punishment, and violence among adolescents who score positive on a psychosocial screening test in primary care. *Pediatrics.* Feb 2006;117(2):441-7. doi:10.1542/peds.2005-0421

Okuda M, Mari S, Okuda Y, Ichiro K, Norikazu Y, Tatsuya H. Psychosocial functioning and self-rated health in Japanese school-aged children: A cross-sectional study. *Nursing and Health Sciences.* 2013;15(2):157-163.

Oliva S, Russo G, Gili R, et al. Risks and Protective Factors Associated With Mental Health Symptoms During COVID-19 Home Confinement in Italian Children and Adolescents: The# Understandingkids Study. *Frontiers in Pediatrics.* 2021;9:537.

Omkarappa DB, Rentala S, Nattala P. Psychiatric nurse delivered group-cognitive-behavioral therapy for internalizing behavior problems among children of parents with alcohol use disorders. *Journal of Child and Adolescent Psychiatric Nursing.* 2021.

Öner Ö, Karaca S, Cangür \$. The validity and reliability of pictorial pediatric symptom checklist in children of 4-5 ages. *Anadolu Psikiyatri Derg.* 2019;20(1):73-81.

Ozturk FO, Ayaz-Alkaya S. Internet addiction and psychosocial problems among adolescents during the COVID-19 pandemic: A cross-sectional study. Article. *Arch Psychiatr Nurs.* Oct 2021;35(5):595-601. doi:10.1016/j.apnu.2021.08.007

Pagano M, Murphy JM, Pedersen M, et al. Screening for psychosocial problems in 4-5-year-olds during routine EPSDT examinations: validity and reliability in a Mexican-American sample. *Clin Pediatr (Phila).* Mar 1996;35(3):139-46. doi:10.1177/000992289603500305



Pagano ME, Cassidy LJ, Little M, Murphy JM, Jellinek MS. Identifying Psychosocial Dysfunction in School-Age Children: The Pediatric Symptom Checklist as a Self-Report Measure. *Psychol Sch.* Mar 1 2000;37(2):91-106. doi:10.1002/(SICI)1520-6807(200003)37:2%3C91::AID-PITS1%3E3.0.CO;2-3

Palermo TM, Childs G, Burgess ES, Kaugars AS, Comer D, Kelleher K. Functional limitations of school-aged children seen in primary care. *Child Care Health Dev.* Sep 2002;28(5):379-89. doi:10.1046/j.1365-2214.2002.00287.x

Parker EM, Jacobson J, Pullmann MD, Kerns SEU. Identifying Psychosocial Problems Among Children and Youth in the Child Welfare System Using the PSC-17: Exploring Convergent and Discriminant Validity with Multiple Informants. *Child Psychiatry Hum Dev.* 02 2019;50(1):108-120. doi:10.1007/s10578-018-0824-6

Perfect MM, Jaramillo E. Relations between resiliency, diabetes-related quality of life, and disease markers to school-related outcomes in adolescents with diabetes. *Sch Psychol Q.* Mar 2012;27(1):29-40. doi:10.1037/a0027984

Perfect MM, Patel PG, Scott RE, et al. Sleep, glucose, and daytime functioning in youth with type 1 diabetes. *Sleep.* Jan 1 2012;35(1):81-8. doi:10.5665/sleep.1590

Pesek R, Whitaker B, Ararat E, et al. Pediatric Severe Asthmatics in a Southern US State Face Multiple Challenges and Barriers to Care. Meeting Abstract. *J Allergy Clin Immunol.* Feb 2021;147(2):AB46-AB46.

Petersen MC, Kube DA, Whitaker TM, Graff JC, Palmer FB. Prevalence of developmental and behavioral disorders in a pediatric hospital. *Pediatrics.* Mar 2009;123(3):e490-5. doi:10.1542/peds.2008-2750

Plubrukarn R, Amloy K, Kanjanapatanakul W. The effectiveness of brief psychosocial screening in identifying behavioral problems in children. *J Med Assoc Thai.* Aug 2011;94 Suppl 3:S145-51.

Polaha J, Dalton WT, 3rd, Allen S. The prevalence of emotional and behavior problems in pediatric primary care serving rural children. *J Pediatr Psychol.* Jul 2011;36(6):652-60. doi:10.1093/jpepsy/jsq116

Pourat N, Zima B, Marti A, Lee C. California child mental health performance outcomes system: Recommendation report. *UCLA Center for Health Policy Research.* 2017;

Raman V, Prakash A, D'Souza F. Psychosocial Issues in Children With Thalassemia: From Identification to a Model for Management in a Developing Country. *J Pediatr Hematol Oncol.* 04 2019;41(3):218-221. doi:10.1097/mph.0000000000001370

Ratcliff MB, Catlin PA, Peugh JL, Siegel RM, Kirk S, Tamm L. Psychosocial Screening Among Youth Seeking Weight Management Treatment. *Clin Pediatr (Phila).* 03 2018;57(3):277-284. doi:10.1177/0009922817715936



Rauch PK, Jellinek MS, Murphy JM, et al. Screening for psychosocial dysfunction in pediatric dermatology practice. *Clin Pediatr (Phila)*. Aug 1991;30(8):493-7. doi:10.1177/000992289103000807

Reed-Knight B, Hayutin LG, Lewis JD, Blount RL. Factor structure of the pediatric symptom checklist with a pediatric gastroenterology sample. *J Clin Psychol Med Settings*. Sep 2011;18(3):299-306. doi:10.1007/s10880-011-9242-7

Reijneveld SA, Vogels AG, Hoekstra F, Crone MR. Use of the Pediatric Symptom Checklist for the detection of psychosocial problems in preventive child healthcare. *BMC Public Health*. Jul 27 2006;6:197. doi:10.1186/1471-2458-6-197

Research Support, N.I.H., Extramural. *Addictive behaviors*. Feb 2017;65:193-197. doi:10.1016/j.addbeh.2016.10.015

Research Support, U.S. Gov't, Non-P.H.S. *Journal of clinical child and adolescent psychology : the official journal for the Society of Clinical Child and Adolescent Psychology, American Psychological Association, Division 53*. Jan-Feb 2020;49(1):1-17. doi:10.1080/15374416.2019.1689824

Richards JE, Whiteside U, Ludman EJ, et al. Understanding why patients may not report suicidal ideation at a health care visit prior to a suicide attempt: A qualitative study. *Psychiatric services*. 2019;70(1):40-45. doi:10.1176/appi.ps.201800342

Richardson LP, McCauley E, McCarty CA, et al. Predictors of persistence after a positive depression screen among adolescents. *Pediatrics*. Dec 2012;130(6):e1541-8. doi:10.1542/peds.2012-0450

Richardson LP, Rockhill C, Russo JE, et al. Evaluation of the PHQ-2 as a brief screen for detecting major depression among adolescents. *Pediatrics*. May 2010;125(5):e1097-103. doi:10.1542/peds.2009-2712

Riffat O, Humayun Iqbal K, Muhammad Khalid M, Najaf M, Fatima T. Psychosocial impact of the COVID-19 pandemic on doctors' children: are we heading towards a mental health pandemic? article. *Paediatrica Indonesiana*. 02/01/ 2021;61(1):46-52. doi:10.14238/pi61.1.2021.46-52

Riobueno-Naylor A, Romo S, Kazis L, et al. Usefulness of a Novel System for Feedback of Patient-Reported Outcome Measures in Children Recovering From Burns. *J Burn Care Res*. 10 16 2019;40(6):776-784. doi:10.1093/jbcr/irz082

Riobueno-Naylor A, Williamson H, Canenguez K, et al. Appearance Concerns, Psychosocial Outcomes, and the Feasibility of Implementing an Online Intervention for Adolescents Receiving Outpatient Burn Care. *J Burn Care Res*. 02 03 2021;42(1):32-40. doi:10.1093/jbcr/iraal08

Roby E, Piccolo LR, Gutierrez J, et al. Father involvement in infancy predicts behavior and response to chronic stress in middle childhood in a low-income Latinx sample. *Developmental Psychobiology*. 2021. doi:10.1002/dev.22081



Rockhill CM, Katon W, Richards J, et al. What clinical differences distinguish depressed teens with and without comorbid externalizing problems? *Gen Hosp Psychiatry*. Jul-Aug 2013;35(4):444-7. doi:10.1016/j.genhosppsych.2013.04.002

Romano-Clarke G, Tang MH, Xerras DC, et al. Have rates of behavioral health assessment and treatment increased for Massachusetts children since the Rosie D. decision? A report from two primary care practices. *Clin Pediatr (Phila)*. Mar 2014;53(3):243-9. doi:10.1177/0009922813507993

Rukabyarwema JP, McCall N, Ngambe T, Kanyembari XB, Needlman R. Behavior Problems in Physically Ill Children in Rwanda. *J Dev Behav Pediatr*. 2019 Oct/Nov 2019;40(8):642-650. doi:10.1097/dbp.0000000000000698

Rushton J, Bruckman D, Kelleher K. Primary care referral of children with psychosocial problems. *Arch Pediatr Adolesc Med*. Jun 2002;156(6):592-8. doi:10.1001/archpedi.156.6.592

Sachser C, Berliner L, Holt T, et al. International development and psychometric properties of the Child and Adolescent Trauma Screen (CATS). *J Affect Disord*. Mar 01 2017;210:189-195. doi:10.1016/j.jad.2016.12.040

Saini A, Chandra J, Goswami U, Singh V, Dutta AK. Case control study of psychosocial morbidity in beta thalassemia major. *J Pediatr*. May 2007;150(5):516-20. doi:10.1016/j.jpeds.2007.01.025

Santos LHC, Pimentel RF, Rosa LGD, Muzzolon SRB, Antoniuk SA. Cognitive and behavioral screening of children with learning disabilities: A preliminary study. *Rev Paul Pediatr*. 2012;30(1):93-99.

Sajady M, Gower AL, McCullough M, Jordan C. More than a View: School Landscape Features Are Associated with Improved Student Adjustment. *Journal of Developmental and Behavioral Pediatrics*. Aug 2020;41(6):436-442. doi:10.1097/dbp.0000000000000809

Sakaguchi K, Yagi T, Maeda A, et al. Association of problem behavior with sleep problems and gastroesophageal reflux symptoms. *Pediatr Int*. Feb 2014;56(1):24-30. doi:10.1111/ped.12201

Semansky RM, Koyanagi C, Vandivort-Warren R. Behavioral health screening policies in Medicaid programs nationwide. *Psychiatr Serv*. May 2003;54(5):736-9. doi:10.1176/appi.ps.54.5.736

Semenkovich K, Berlin KS, Ankney RL, et al. Predictors of diabetic ketoacidosis hospitalizations and hemoglobin A1c among youth with Type 1 diabetes. *Health Psychol*. Jul 2019;38(7):577-585. doi:10.1037/he0000719

Serrano-Gonzalez M, McConnel C, Bokhary M, Oden J, Lopez X. Association of Non-High-Density Lipoprotein Cholesterol with Psychosocial Dysfunction in Children and Adolescents with Obesity. *Child Obes*. Oct 2015;11(5):647-9. doi:10.1089/chi.2015.0043



Shaffer A, Lindhiem O, Kolko D. Treatment Effects of a Primary Care Intervention on Parenting Behaviors: Sometimes It's Relative. *Prev Sci.* 04 2017;18(3):305-311. doi:10.1007/s11121-016-0689-5

Shah S, Kaul A, Shah R, Maddipoti S. Impact of Coronavirus Disease 2019 Pandemic and Lockdown on Mental Health Symptoms in Children. *Indian Pediatrics.* Jan 2021;58(1):75-76.

Shahzad S, Kliewer W, Ali M, Begum N. Different risk factors are associated with alcohol use versus problematic use in male Pakistani adolescents. *International Journal of Psychology.* Aug 2020;55(4):585-589. doi:10.1002/ijop.12617

Sharp LK, Lipsky MS. Screening for depression across the lifespan: a review of measures for use in primary care settings. *Am Fam Physician.* Sep 15 2002;66(6):1001-8.

Sheldrick RC, Henson BS, Merchant S, Neger EN, Murphy JM, Perrin EC. The Preschool Pediatric Symptom Checklist (PPSC): development and initial validation of a new social/emotional screening instrument. *Acad Pediatr.* Sep-Oct 2012;12(5):456-67. doi:10.1016/j.acap.2012.06.008

Sheldrick RC, Henson BS, Neger EN, Merchant S, Murphy JM, Perrin EC. The baby pediatric symptom checklist: development and initial validation of a new social/emotional screening instrument for very young children. *Acad Pediatr.* Jan-Feb 2013;13(1):72-80. doi:10.1016/j.acap.2012.08.003

Shellman AB, Meinert AC, Curtis DF. Physician Utilization of a Universal Psychosocial Screening Protocol in Pediatric Primary Care. *Clin Pediatr (Phila).* 08 2019;58(9):957-969. doi:10.1177/0009922819845878

Silverman AH, Berlin KS, Di Lorenzo C, et al. Measuring Health-Related Quality of Life With the Parental Opinions of Pediatric Constipation Questionnaire. *J Pediatr Psychol.* Sep 2015;40(8):814-24. doi:10.1093/jpepsy/jsv028

Simha S, Brown AC. Preventive Care in Children and Adolescents. *Primary Care: Clinics in Office Practice.* 2021;48(1):99-116.

Simonian SJ, Tarnowski KJ. Utility of the Pediatric Symptom Checklist for behavioral screening of disadvantaged children. *Child Psychiatry Hum Dev.* Summer 2001;31(4):269-78. doi:10.1023/a:1010213221811

Sinclair J, Holden S. The mental health surveillance of adolescents within a school setting. *Mental Health Review Journal.* 2013;18(2):83-92.

Spencer AE, Baul TD, Sikov J, et al. The relationship between social risks and the mental health of school-age children in primary care. *Academic pediatrics.* 2020;20(2):208-215.

Spencer AE, Chiang C, Plasencia N, et al. Utilization of Child Psychiatry Consultation Embedded in Primary Care for an Urban, Latino Population. *Journal of Health Care for the Poor & Underserved.* 2019;30(2):637-652. doi:10.1353/hpu.2019.0047



Spencer AE, Plasencia N, Sun Y, et al. Screening for Attention-Deficit/Hyperactivity Disorder and Comorbidities in a Diverse, Urban Primary Care Setting. *Clin Pediatr (Phila)*. 10 2018;57(12):1442-1452. doi:10.1177/0009922818787329

Stadnick NA, Martinez K, Aarons GA, Lee DA, Van Cleave J, Brookman-Frazee L. Pediatric Primary Care Perspectives on Integrated Mental Health Care for Autism. *Academic pediatrics*. 2020/11/01/2020;20(8):1140-1147. doi:<https://doi.org/10.1016/j.acap.2020.03.006>

Stearns M, Hayse B, Nair N, et al. 579 Child Sleep Onset Latency Mediates Parental Depression and Non-Compliance in Children with Autism Spectrum Disorder. *Sleep*. 2021;44(Supplement_2):A228-A228.

Stein BD, Jaycox LH, Kataoka SH, et al. A mental health intervention for schoolchildren exposed to violence: a randomized controlled trial. *JAMA*. Aug 6 2003;290(5):603-11. doi:10.1001/jama.290.5.603

Steinbaum DP, Chemtob C, Boscarino JA, Laraque D. Use of a psychosocial screen to detect children with symptoms of posttraumatic stress disorder: an exploratory study. *Ambul Pediatr*. Jan-Feb 2008;8(1):32-5. doi:10.1016/j.ambp.2007.08.007

Stone KC, LaGasse LL, Lester BM, et al. Sleep problems in children with prenatal substance exposure: the Maternal Lifestyle study. *Arch Pediatr Adolesc Med*. May 2010;164(5):452-6. doi:10.1001/archpediatrics.2010.52

Stoppelbein L, Greening L, Jordan SS, Elkin TD, Moll G, Pullen J. Factor analysis of the Pediatric Symptom Checklist with a chronically ill pediatric population. *J Dev Behav Pediatr*. Oct 2005;26(5):349-55. doi:10.1097/00004703-200510000-00002

Stoppelbein L, Greening L, Moll G, Jordan S, Suozzi A. Factor analyses of the Pediatric Symptom Checklist-17 with African-American and Caucasian pediatric populations. *J Pediatr Psychol*. Apr 2012;37(3):348-57. doi:10.1093/jpepsy/jsr103

Struemph KL, Barheight LR, Thacker D, Sood E. Systematic psychosocial screening in a paediatric cardiology clinic: clinical utility of the Pediatric Symptom Checklist 17. *Cardiol Young*. Aug 2016;26(6):1130-6. doi:10.1017/S1047951115001900

Stubbs PH, Walters AS. Tools for the Assessment of Pediatric Restless Legs Syndrome. *Front Psychiatry*. 2020;11:356. doi:10.3389/fpsyg.2020.00356

Studts CR, Polaha J, van Zyl MA. Identifying Unbiased Items for Screening Preschoolers for Disruptive Behavior Problems. *J Pediatr Psychol*. 05 01 2017;42(4):476-486. doi:10.1093/jpepsy/jsw090

Studts CR, van Zyl MA. Identification of developmentally appropriate screening items for disruptive behavior problems in preschoolers. *J Abnorm Child Psychol*. Aug 2013;41(6):851-63. doi:10.1007/s10802-013-9738-8



Sturner RA. Parent questionnaires: basic office equipment? *J Dev Behav Pediatr*. Feb 1991;12(1):51-4.

Suku S, Soni J, Martin MA, et al. A multivariable analysis of childhood psychosocial behaviour and household functionality. *Child Care Health Dev*. 07 2019;45(4):551-558. doi:10.1111/cch.12665

Taiwo AO. Predictors of psychopathology among Nigerian adolescents: the role of psychosocial, demographics, personality and medical condition reports domains. *Afr Health Sci*. Jun 2011;11(2):228-39.

Terrone G, Parente I, Romano A, Auricchio R, Greco L, Del Giudice E. The Pediatric Symptom Checklist as screening tool for neurological and psychosocial problems in a paediatric cohort of patients with coeliac disease. *Acta Paediatr*. Jul 2013;102(7):e325-8. doi:10.1111/apa.12239

Thabrew H, McDowell H, Given K, Murrell K. Systematic Review of Screening Instruments for Psychosocial Problems in Children and Adolescents With Long-Term Physical Conditions. *Glob Pediatr Health*. 2017;4:2333794X17690314. doi:10.1177/2333794x17690314

Tham SW, Palermo TM, Vavilala MS, et al. The longitudinal course, risk factors, and impact of sleep disturbances in children with traumatic brain injury. *J Neurotrauma*. Jan 1 2012;29(1):154-61. doi:10.1089/neu.2011.2126

Thomaseo Burton E, Jones TL, Smith WA, Han JC. Psychosocial Functioning After One Year of Interdisciplinary Pediatric Weight Management. *Behav Med*. 2020 Apr-Jun 2020;46(2):92-99. doi:10.1080/08964289.2019.1570073

Thun-Hohenstein L, Herzog S. The predictive value of the pediatric symptom checklist in 5-year-old Austrian children. *Eur J Pediatr*. Mar 2008;167(3):323-9. doi:10.1007/s00431-007-0494-z

Tolliver M, Polaha J, Williams SL, Studts CR. Evaluating the Prevalence of Child Psychosocial Concerns in Rural Primary Care. *Rural Ment Health*. Apr 2020;44(2):96-105. doi:10.1037/rmh0000130

Trafalis S, Giannini C, Joves J, et al. A pediatrician-friendly review of three common behavioral health screeners in pediatric practice: Findings and recommendations. *Pediatric Investigation*. Mar 2021;5(1):58-64. doi:10.1002/ped4.12246

Valleley RJ, Romer N, Kupzyk S, Evans JH, Allen KD. Behavioral Health Screening in Pediatric Primary Care: A Pilot Study. *J Prim Care Community Health*. Jul 2015;6(3):199-204. doi:10.1177/2150131914562912

Vargas B, Leiva L, Rojas-Andrade R, Scquicciarini AM. Effects of Psychosocial Adversity on School Maladjustment: A Follow-up of Primary School Students. article. *Psicología Educativa: Revista de los Psicólogos de la Educación*. 2019;25(2):101-108. doi:10.5093/psed2019a10



Vessey JA, O'Neill KM. Helping students with disabilities better address teasing and bullying situations: a MASRN study. *J Sch Nurs.* Apr 2011;27(2):139-48. doi:10.1177/1059840510386490

Vogels AG, Crone MR, Hoekstra F, Reijneveld SA. Comparing three short questionnaires to detect psychosocial dysfunction among primary school children: a randomized method. *BMC Public Health.* Dec 28 2009;9:489. doi:10.1186/1471-2458-9-489

Wagner JL, Guilfoyle SM, Rausch J, Modi AC. Psychometric validation of the Pediatric Symptom Checklist-17 in a pediatric population with epilepsy: A methods study. *Epilepsy Behav.* Oct 2015;51:112-6. doi:10.1016/j.yebeh.2015.06.027

Wagner JL, Smith G, Ferguson PL, Fedele DA. Preliminary Psychometrics of the Neurological Disorders Depression Inventory for Epilepsy-Youth. *J Child Neurol.* Nov 2013;28(11):1392-1399. doi:10.1177/0883073813483367

Wagner JL, Smith GM, Ferguson PL, Wannamaker BB. Caregiver perceptions of seizure severity in pediatric epilepsy. *Epilepsia.* Sep 2009;50(9):2102-9. doi:10.1111/j.1528-1167.2009.02146.x

Walker WO, Jr., LaGrone RG, Atkinson AW. Psychosocial screening in pediatric practice: identifying high-risk children. *J Dev Behav Pediatr.* Jun 1989;10(3):134-8.

Ward-Zimmerman B, Cannata E. Partnering with pediatric primary care: Lessons learned through collaborative colocation. *Professional Psychology: Research and Practice.* 2012;43(6):596-605.

Weigel MM, Armijos RX. Household Food Insecurity and Psychosocial Dysfunction in Ecuadorian Elementary Schoolchildren. *Int J Pediatr.* 2018;2018:6067283. doi:10.1155/2018/6067283

Weiss J, Mouttapa M, Nacpil L, Rubin D, Gedissman A. Addressing obesity among Latino youth in pediatrician's office: Preliminary findings of an obesity prevention program. *Journal of Behavioral Health.* 2012;1(2):86-92.

Weitzman CC, Leventhal JM. Screening for behavioral health problems in primary care. *Current opinion in pediatrics.* Dec 2006;18(6):641-8. doi:10.1097/MOP.0b013e3280108292

Whitaker TM, Bada HS, Bann CM, et al. Serial pediatric symptom checklist screening in children with prenatal drug exposure. *J Dev Behav Pediatr.* Apr 2011;32(3):206-15. doi:10.1097/DBP.0b013e318208ee3c

Wildman BG, Stancin T, Golden C, Yerkey T. Maternal distress, child behaviour, and disclosure of psychosocial concerns to a paediatrician. *Child Care Health Dev.* Jul 2004;30(4):385-94. doi:10.1111/j.1365-2214.2004.00428.x



Williams JR, Fredland N, Han HR, Campbell JC, Kub JE. Relational aggression and adverse psychosocial and physical health symptoms among urban adolescents. *Public Health Nurs.* Nov-Dec 2009;26(6):489-99. doi:10.1111/j.1525-1446.2009.00808.x

Williams SL, Polaha J. Rural parents' perceived stigma of seeking mental health services for their children: development and evaluation of a new instrument. *Psychol Assess.* Sep 2014;26(3):763-73. doi:10.1037/a0036571

Wolfe-Christensen C, Fedele DA, Grant D, et al. Factor analysis of the pediatric symptom checklist in a population of children with voiding dysfunction and/or nocturnal enuresis. *J Clin Psychol Med Settings.* Mar 2014;21(1):72-80. doi:10.1007/s10880-013-9375-y

Wolfe-Christensen C, Guy WC, Mancini M, Kovacevic LG, Lakshmanan Y. Evidence of Need to Use Self-Report Measures of Psychosocial Functioning in Older Children and Adolescents with Voiding Dysfunction. *J Urol.* May 2016;195(5):1570-1574. doi:10.1016/j.juro.2015.11.045

Wolfe-Christensen C, Veenstra AL, Kovacevic L, Elder JS, Lakshmanan Y. Psychosocial difficulties in children referred to pediatric urology: a closer look. *Urology.* Oct 2012;80(4):907-12. doi:10.1016/j.urology.2012.04.077

Wren FJ, Bridge JA, Birmaher B. Screening for childhood anxiety symptoms in primary care: integrating child and parent reports. *J Am Acad Child Adolesc Psychiatry.* Nov 2004;43(11):1364-71. doi:10.1097/01.chi.0000138350.60487.d3

Wren FJ, Scholle SH, Heo J, Comer DM. Pediatric mood and anxiety syndromes in primary care: who gets identified? *Int J Psychiatry Med.* 2003;33(1):1-16. doi:10.2190/UT6D-RDFG-LBT7-G39N

Wu WC, Chang HY, Kuo KN, Chen CY, Tu YC, Yang YH. Psychosocial problems in children with allergic diseases: a population study in Taiwan. *Child Care Health Dev.* Sep 2011;37(5):662-70. doi:10.1111/j.1365-2214.2011.01207.x

Wylie-Rosett J, Groisman-Perelstein AE, Diamantis PM, et al. Embedding weight management into safety-net pediatric primary care: randomized controlled trial. *Int J Behav Nutr Phys Act.* 01 22 2018;15(1):12. doi:10.1186/s12966-017-0639-z

Young ND, Takala CR. Sequential Screening to Improve Behavioral Health Needs Detection in Primary Care. *J Am Acad Child Adolesc Psychiatry.* 08 2018;57(8):603-609. doi:10.1016/j.jaac.2018.04.017

Zalta AK, Bui E, Karnik NS, et al. Examining the Relationship Between Parent and Child Psychopathology in Treatment-Seeking Veterans. *Child Psychiatry Hum Dev.* 04 2018;49(2):209-216. doi:10.1007/s10578-017-0743-y



Zima BT, Marti FA, Lee CE, Pourat N. Selection of a Child Clinical Outcome Measure for Statewide Use in Publicly Funded Outpatient Mental Health Programs. *Psychiatr Serv.* 05 01 2019;70(5):381-388.
doi:10.1176/appi.ps.201800424

Zima BT, McCreary M, Kenan K, et al. Development and Evaluation of Two Integrated Care Models for Children Using a Partnered Formative Evaluation Approach. *Ethn Dis.* 2018;28(Suppl 2):445-456.
doi:10.18865/ed.28.S2.445

